




## Certificate of Analysis

### SALSA® MLPA® Probemix P327 iAMP21-ERG


|   |  |             |
|---|--|-------------|
| <b>Catalogue #</b>  | <b>P327-025R, P327-050R, P327-100R</b>   |             |
| <b>Product name</b>   | <b>Probemix P327 iAMP21-ERG</b>  |             |
| <b>LOT</b>  | <b>B2-0721</b>   |             |
|  | 25, 50, or 100 reactions.  |             |
| Shipping conditions   | Dry ice or cooling elements.   |             |
|  | Store upon arrival between -25°C and -15°C.  |             |
|  | Expiration date: July 2026, when stored at recommended conditions. This product should not be frozen/thawed more than 25 times.  |             |
| Purpose   | This product has been developed to determine the DNA copy number of chromosome 21, including <i>RUNX1</i> and <i>ERG</i> genes, as described in table 1 and 2 of the product description. This probemix is designed for use only in combination with SALSA MLPA reagent kits and Coffalyser.Net analysis software as described in the MLPA General Protocol.   |             |
| Quality control specifications  | <ul style="list-style-type: none"> <li>- Sufficient distance between peaks, absence of extra or shoulder peaks, and completeness of hybridisation of each individual probe, as tested on Applied Biosystems and Beckman/SCIEX GeXP sequencers.</li> <li>- Standard deviation of each individual probe <math>\leq 0.10</math>, when tested on 23 different DNA samples of healthy individuals, extracted by various methods.</li> <li>- Each individual probe meets reaction-specific criteria when tested on a single DNA sample under various experimental conditions.</li> <li>- No-DNA controls result in only five major peaks shorter than 121 nucleotides (nt): four Q-fragments at 64, 70, 76 and 82 nt, and one peak in the range of 0-40 nt corresponding to the unused portion of the fluorescent PCR primer. Non-specific peaks longer than 121 nt AND with a height &lt;25% of the median of the four Q-fragments are not expected to affect MLPA reactions when sufficient (50-250 ng) sample DNA is used.</li> </ul> | Test result |
|   |  | PASS        |

None of the ingredients are derived from humans, animals, or pathogenic bacteria. Based on the concentrations present, none of the ingredients are hazardous as defined by the Hazard Communication Standard. **A Safety Data Sheet (SDS) is not required for these products:** none of the preparations contain dangerous substances (as per Regulation (EC) No 1272/2008 [EU-GHS/CLP] and amendments) at concentrations requiring distribution of an SDS (as per Regulation (EC) No 1272/2008 [EU-GHS/CLP] and 1907/2006 [REACH] and amendments). If spills occur, clean with water and follow appropriate site procedures.

|  |   |
|--|---|
| <b>More information:</b> <a href="http://www.mrcholland.com">www.mrcholland.com</a> ; <a href="http://www.mrcholland.eu">www.mrcholland.eu</a> |   |
|   | MRC Holland bv; Willem Schoutenstraat 1<br>1057 DL, Amsterdam, The Netherlands  |
| E-mail   | <a href="mailto:info@mrcholland.com">info@mrcholland.com</a> (information & technical questions)<br><a href="mailto:order@mrcholland.com">order@mrcholland.com</a> (orders) |
| Phone  | +31 888 657 200   |

# Certificate of Analysis

## SALSA MLPA Probemix P327-B2 iAMP21-ERG sample picture



**Figure 1.** Capillary electrophoresis pattern from a sample of approximately 50 ng human male control DNA analysed with SALSA MLPA Probemix P327 iAMP21-ERG (B2-0721).

**This lot was certified by MRC Holland on 16 March 2022.**

This certificate is a declaration of analysis at the time of the manufacturing process. All assays were run in compliance with manufacturer’s instructions for use.

|   |
|---|
| <b>Implemented changes in the COA</b>                             |
| Version 01 – 16 March 2022 (6)<br>- Not applicable, new document. |