

# Product Description

## SALSA® Binning DNA SD009-S01

### Version S01

#### Catalogue number

- **SD009:** SALSA Binning DNA, 6 reactions

#### Precautions and warnings

For professional use only. Always consult the most recent product description AND the corresponding probemix product description AND the MLPA General Protocol before use: [www.mrcholland.com](http://www.mrcholland.com). Binning DNA is not known to contain any harmful agents.

#### Safety data sheet

Based on the concentrations present, none of the ingredients are hazardous as defined by the Hazard Communication Standard. **A Safety Data Sheet (SDS) is not required for these products:** none of the preparations contain dangerous substances (as per Regulation (EC) No 1272/2008 [EU-GHS/CLP] and amendments) at concentrations requiring distribution of an SDS (as per Regulation (EC) No 1272/2008 [EU-GHS/CLP] and 1907/2006 [REACH] and amendments). If spills occur, clean with water and follow appropriate site procedures.

#### General information

The SALSA Binning DNA SD009 is a research use only (RUO) reagent to be used in combination with SALSA MLPA probemix P038-B1 CLL-2, a SALSA MLPA Reagent Kit and Coffalyser.Net™ analysis software for the processes of linking all probe signals to their identity by use of the probe lengths. SD009 contains the targets of all probes included in the above-listed probemix, including the mutation-specific probe targets *MYD88* c.794T>C (p.L265P), *NOTCH1* c.7541-7542delCT (p.P2514\*fs) and *SF3B1* c.2098A>G (p.K700E).

Binning DNA should never be used as a reference sample in the MLPA data analysis. Neither should it be used in quantification of mutation signals.

#### Experimental set up

MLPA reactions for binning purposes should be performed with 5 µl of Binning DNA. Inclusion of one reaction with SALSA Binning DNA SD009 in the initial MLPA experiment is essential as it can aid in data binning of the peak pattern when using Coffalyser.Net software. Furthermore, Binning DNA should be included in the experiment whenever changes have been applied to the set-up of the capillary electrophoresis device (e.g. when a different polymer type is used).

#### Data analysis

Coffalyser.Net software should be used for analysis of MLPA experiments. When performing the fragment analysis step in Coffalyser.Net, select SD009 in the *bin smpl*-column. By selecting the SD009 sample as your binning sample, probes will be correctly identified in the peak pattern across all samples. Coffalyser.Net software is freely downloadable at [www.mrcholland.com](http://www.mrcholland.com).

#### Binning DNA content

SD009 consists of a mixture of female genomic DNA from healthy individuals and a titrated amount of plasmid DNA that contains partial sequences of the *MYD88*, *NOTCH1* and *SF3B1* genes. These partial sequences include three different mutations that will be detected by the mutation-specific probes present in the above-listed probemix. See Table 1 and the corresponding probemix product description for more details on mutation-specific probe targets present. The indicated mutation-specific probes will generate a signal on SD009.

Please note that the plasmid DNA also contains the target sequence of the 105 nt chromosome Y specific control fragment. As a result, the 100 and 105 nt control fragments indicate the presence of two copies chromosome X and one copy chromosome Y.

**Table 1. Mutation-specific probe targets in Binning DNA SD009-S01**

Probemix	Gene/Exon	Probe length (nt)	Probe ID	Probemix version	Details
P038	MYD88 exon 5	252	17803-L22642	B1	c.794T>C; p.L265P
	SF3B1 exon 15	234	17802-SP0549-L21900	B1	c.2098A>G; p.K700E
	NOTCH1 exon 34	216	17801-SP0548-L22640	B1	c.7541-7542delCT; p.P2514*fs

**Note:** Please consult the corresponding probemix product description for more information about exon numbering, mutation nomenclature and gene transcripts used.

More information: <a href="http://www.mrcholland.com">www.mrcholland.com</a> ; <a href="http://www.mrcholland.eu">www.mrcholland.eu</a>	
	MRC Holland bv; Willem Schoutenstraat 1 1057 DL, Amsterdam, The Netherlands
E-mail	<a href="mailto:info@mrcholland.com">info@mrcholland.com</a> (information & technical questions) <a href="mailto:order@mrcholland.com">order@mrcholland.com</a> (orders)
Phone	+31 888 657 200

Implemented changes in the product description
<p><i>Version S01-04 – 19 April 2023 (04)</i></p> <ul style="list-style-type: none"> <li>- Product description rewritten and adapted to a new template.</li> <li>- Exon numbering of the <i>SF3B1</i> gene corrected in Table 1</li> </ul> <p><i>Version S01-03 – 26 June 2019 (15)</i></p> <ul style="list-style-type: none"> <li>- Product description updated according to the new template (SD version and probemix version Information adjusted on page 1, SD lot removed throughout document).</li> <li>- Precautions and warnings and information about experimental set-up added to page 1.</li> <li>- Various minor textual and layout changes.</li> </ul>