

# Product Description

## SALSA® Binning DNA SD089-S01

### Version S01

#### Catalogue number

- **SD089:** SALSA Binning DNA, 6 reactions

#### Precautions and warnings

For professional use only. Always consult the most recent product description AND the corresponding probemix product description AND the MLPA General Protocol before use: [www.mrcholland.com](http://www.mrcholland.com). Binning DNA is not known to contain any harmful agents.

#### Safety data sheet

Based on the concentrations present, none of the ingredients are hazardous as defined by the Hazard Communication Standard. **A Safety Data Sheet (SDS) is not required for these products:** none of the preparations contain dangerous substances (as per Regulation (EC) No 1272/2008 [EU-GHS/CLP] and amendments) at concentrations requiring distribution of an SDS (as per Regulation (EC) No 1272/2008 [EU-GHS/CLP] and 1907/2006 [REACH] and amendments). If spills occur, clean with water and follow appropriate site procedures.

#### General Information

The SALSA Binning DNA SD089 is a research use only (RUO) reagent to be used in combination with SALSA MLPA Probemix P438-D3 Celiac Disease, a SALSA MLPA Reagent Kit and Coffalyser.Net analysis software for the processes of linking all probe signals to their identity by use of the probe lengths. SD089 contains the targets of all probes included in the above-listed probemix, including the allele-specific probe targets *HLA-DQA1\*02*, *HLA-DQA1\*03*, *HLA-DQA1\*05*, *HLA-DQB1\*02*, *HLA-DQB1\*03*, *HLA-DQB1\*0302* \*0303 and *HLA-DQB1\*0302* \*0305.

Binning DNA should never be used as a reference sample in the MLPA data analysis. Neither should it be used in quantification of allele-specific signals.

#### Experimental set up

MLPA reactions for binning purposes should be performed with 5 µl of Binning DNA. Inclusion of one reaction with SALSA Binning DNA SD089 in the initial MLPA experiment is essential as it can aid in data binning of the peak pattern when using Coffalyser.Net software. Furthermore, Binning DNA should be included in the experiment whenever changes have been applied to the set-up of the capillary electrophoresis device (e.g. when a different polymer type is used).

#### Data analysis

Coffalyser.Net software should be used for analysis of MLPA experiments. When performing the fragment analysis step in Coffalyser.Net, select SD089 in the *bin smpl* –column. By selecting the SD089 sample as your binning sample, probes will be correctly identified in the peak pattern across all samples. Coffalyser.Net software is freely downloadable at [www.mrcholland.com](http://www.mrcholland.com).

#### Binning DNA content

SD089 consists of a mixture of female genomic DNA purified from a selected cell line and a titrated amount of plasmid DNA that contains partial sequences of the *HLA-DQA1* and *HLA-DQB1* genes. SD089 contains the target sequences that will be detected by the 11 HLA-DQ allele-specific probes present in the above-listed probemix. See Table 1 and the corresponding probemix product description for more details on allele-specific probe targets present. The indicated allele-specific probes will generate a signal on SD089.


Please note that the plasmid DNA also contains the target sequence of the 105 nt chromosome Y specific control fragment. As a result, the 100 and 105 nt control fragments indicate the presence of two copies chromosome X and one copy chromosome Y.




**Table 1. HLA-DQ allele-specific probe targets in Binning DNA SD089-S01**

Probemix	Gene/Exon	Probe length (nt)	Probe ID	Probemix version	Details
P438	HLA-DQA1 exon 2	178	11289-L12015	D3	DQA1*03: DQ8
	HLA-DQA1 exon 2	222	19115-L25062	D3	DQA1*02: DQ2.2
	HLA-DQA1 exon 2	144	S0371-SP0074-L12959	D3	DQA1*03: DQ8
	HLA-DQA1 exon 2	202	11292-L12018	D3	DQA1*05: DQ2.5
	HLA-DQA1 exon 3	332	11293-L12019	D3	DQA1*05: DQ2.5
	HLA-DQA1 exon 4	287	22800-SP0747-L25064	D3	DQA1*02: DQ2.2
	HLA-DQB1 exon 4	184	11296-L12022	D3	DQB1*02: DQ2.5, DQ2.2
	HLA-DQB1 exon 2	229	20917-SP0075-L12960	D3	DQB1*03: DQ8
	HLA-DQB1 exon 2	136	S0460-SP0135-L15177	D3	DQB1*0302 *0305: DQ8
	HLA-DQB1 exon 2	319	11295-L12021	D3	DQB1*02: DQ2.5, DQ2.2
	HLA-DQB1 exon 2	256	23049-SP0849-L32517	D3	DQB1*0302 *0303: DQ8

**Note:** Please consult the corresponding probemix product description for more information about exon numbering, HLA-DQ allele nomenclature and gene transcripts used.

**More information:** [www.mrcholland.com](http://www.mrcholland.com); [www.mrcholland.eu](http://www.mrcholland.eu)

	MRC Holland bv; Willem Schoutenstraat 1 1057 DL, Amsterdam, The Netherlands
E-mail	<a href="mailto:info@mrcholland.com">info@mrcholland.com</a> (information & technical questions) <a href="mailto:order@mrcholland.com">order@mrcholland.com</a> (orders)
Phone	+31 888 657 200

	EUROPE* (until lot 0321) 
	EUROPE* (as of lot 1224) ALL OTHER COUNTRIES

\*comprising EU (candidate) member states and members of the European Free Trade Association (EFTA), and the UK. The product is for RUO in all other European countries.

**Implemented changes in the product description**

Version S01-02 – 29 January 2025 (03)

- Product description updated as SD089 is for research use only as of lot 1224.

Version S01-01 – 13 October 2022 (03)

- Not applicable, new document.